

-	54	(((((o/s os (operating adj2 system)) near3 (schedul\$3 task\$3 rout\$3 process)) and (((boost\$4 rais\$3 chang\$3 increas\$3) near3 priority))) and (rout\$3 detect\$3 trigger\$3 condition)) and (rout\$3 condition trigger high\$3 detect\$3 perform\$3 operat\$3 messag\$3 low\$3)) and (rout\$3 near4 (process task thread))) and ((trigger\$3 detect\$3) near4 condition)) and ((low\$3 high\$3) near3 (priority level))) and (link ospf is-is protocol)) and (ospf is-is protocol)) and (dijkstra algorithm))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 10:25
-	0	(((((o/s os (operating adj2 system)) near3 (schedul\$3 task\$3 rout\$3 process)) and (((boost\$4 rais\$3 chang\$3 increas\$3) near3 priority))) and (rout\$3 detect\$3 trigger\$3 condition)) and (rout\$3 condition trigger high\$3 detect\$3 perform\$3 operat\$3 messag\$3 low\$3)) and (rout\$3 near4 (process task thread))) and ((trigger\$3 detect\$3) near4 condition)) and ((low\$3 high\$3) near3 (priority level))) and (link ospf is-is protocol)) and (ospf is-is protocol)) and (dijkstra algorithm)) and (dijkstra)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 10:24
-	3	(((((o/s os (operating adj2 system)) near3 (schedul\$3 task\$3 rout\$3 process)) and (((boost\$4 rais\$3 chang\$3 increas\$3) near3 priority))) and (rout\$3 detect\$3 trigger\$3 condition)) and (rout\$3 condition trigger high\$3 detect\$3 perform\$3 operat\$3 messag\$3 low\$3)) and (rout\$3 near4 (process task thread))) and ((trigger\$3 detect\$3) near4 condition)) and ((low\$3 high\$3) near3 (priority level))) and (link ospf is-is protocol)) and (ospf is-is protocol)) and (rout\$3 near4 protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 10:27
-	53	((boost\$4 rais\$3 chang\$3 increas\$3) near3 (priority adj2 level) same task)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 10:36
-	38	((boost\$4 rais\$3 chang\$3 increas\$3) near3 (priority adj2 level) same task)) and (os o/s (operating adj2 system))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 13:38
-	8	((((lsa (link adj2 state adj2 advertisement)) near4 protocol) and (((lsa (link adj2 state adj2 advertisement)) near4 protocol) and ((link near3 status) rout\$3)) and (dijkstra near4 path))) and (rout\$3 os o/s (operating adj2 system) task)) and (messag\$3 trigger\$3 condition receipt receiv\$3 (link near3 state) comput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:38
-	10	((((lsa (link adj2 state adj2 advertisement)) near4 protocol) and (((lsa (link adj2 state adj2 advertisement)) near4 protocol) and ((link near3 status) rout\$3)) and (dijkstra near4 path))) and (rout\$3 os o/s (operating adj2 system) task)) and (messag\$3 trigger\$3 condition receipt receiv\$3 (link near3 state) comput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 09:55
-	115	((lsa (link adj2 state adj2 advertisement)) with protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:01
-	0	((lsa (link adj2 state adj2 advertisement)) with protocol) same (rai\$3 boost\$3 chang\$3 switch\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:07
-	0	((lsa (link adj2 state adj2 advertisement)) with protocol) same (rout\$3 forward\$3) and ((rai\$3 boost\$3 chang\$3 switch\$3) with (process\$3 task\$3 thread\$3) with priorit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 13:36
-	4	((lsa (link adj2 state adj2 advertisement)) with protocol) same (rout\$3 forward\$3) and ((rai\$3 boost\$3 chang\$3 switch\$3) same (process\$3 task\$3 thread\$3) same priorit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:06

-	0	((lsa (link adj2 state adj2 advertisement)) with protocol) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:08
-	11	((lsp (link adj2 state)) with protocol) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3 not (((lsa (link adj2 state adj2 advertisement)) with protocol) same (rout\$3 forward\$3) and ((rai\$3 boost\$3 chang\$3 switch\$3) same (process\$3 task\$3 thread\$3) same priorit\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:09
-	811	((lsp (link adj2 state))) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:30
-	98	((lsp (link adj2 state))) same (trigger\$3 event detect\$3 flag\$3) same (process\$3 task\$3 thread\$3) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:30
-	39	((lsp (link adj2 state))) same (trigger\$3 event detect\$3 flag\$3) same (process\$3 task\$3 thread\$3) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3 and ((rout\$3 forward\$3) and (operating adj system))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:28
-	56	((lsa ospf (link adj2 state))) same (rais\$3 boost\$3 chang\$3 switch\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:31
-	0	((lsa (link adj2 state adj2 advertisement)) with protocol) same (rout\$3 forward\$3) same (rais\$3 boost\$3 chang\$3 switch\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 10:51
-	554	(transmi\$6 rout\$3 forward\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3 switch\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:07
-	30	((transmi\$6 rout\$3 forward\$3) with (operat\$3 function\$3) with (event detect\$3 trigger\$3 flag\$4)) same ((rai\$3 boost\$3 chang\$3 switch\$3) with (process\$3 task\$3 thread\$3) with priorit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 13:24
-	307	(transmi\$6 rout\$3 forward\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:12
-	160	(rout\$3 forward\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:13
-	139	(rout\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:22

-	19	(((rout\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 near4 protocol) lsa ospf is-is (link near4 state))) not (((transmi\$6 rout\$3 forward\$3) with (operat\$3 function\$3) with (event detect\$3 trigger\$3 flag\$4)) same ((rai\$3 boost\$3 chang\$3 switch\$3) with (process\$3 task\$3 thread\$3) with priorit\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:15
-	24	(((rout\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 with protocol) advertis\$5 lsa ospf is-is (link near4 state)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:21
-	39	(rout\$3 same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 near4 protocol) lsa ospf is-is (link near4 state))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:26
-	20	(((rout\$3 same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 near4 protocol) lsa ospf is-is (link near4 state))) not (((rout\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 with protocol) advertis\$5 lsa ospf is-is (link near4 state))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 14:26
-	45	(rout\$3 same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 near4 protocol) advertis\$5 lsa ospf is-is (link near4 state))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:46
-	22	(((rout\$3 same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 near4 protocol) advertis\$5 lsa ospf is-is (link near4 state))) not (((rout\$3) same (operat\$3 function\$3) same (event detect\$3 trigger\$3) same (rai\$3 boost\$3 chang\$3) same (process\$3 task\$3 thread\$3) same priorit\$3) and ((rout\$3 with protocol) advertis\$5 lsa ospf is-is (link near4 state))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:40
-	390	(rai\$3 boost\$3 increas\$3) with (process\$3 task\$3) with (high\$3) with priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:48
-	98	(rai\$3 boost\$3 increas\$3) with (task\$3) with (high\$3) with priorit\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 15:48